## Wyandotte Public Schools **Emergency Evacuation** Site Evaluation Form

9AM Start Time		9: 20 Au Time all students and staff accounted for			
9:12 Am Time 1st person entered evacuation site	9:20	9:20 Am Time all clear is given			
9:14 Time last person entered evacuation site	9:25	An Tim	e last pers	son exits evacuation site	
Fire/Explosion	Bom!	o Threa	t 🗆	Inside Gas Leak	
Student and Staff Response	YES	NO	N/A	NOTES	
All students & staff enter quietly and orderly	1				
Teachers have class lists or attendance records	1				
Teachers have To-Go Bags	1				
All kitchen staff evacuated & are accounted for					
All guests evacuated & are accounted for					
Students & staff remain quiet and orderly					
Students & staff depart in orderly manner	K			one student fell	
Safe Team Response	YES	NO	N/A	NOTES	
Effective Communication	~				
District Office and Police/Fire notified	1				
Building To-Go Box is brought to evacuation site					
Reunification area designated and equipped					
All students reunited with their classroom teacher	1				
All students, staff, & guests accounted for	1				
Parents notified					
I.D.s placed on students (if necessary)					
Buses delivered (if necessary)	1				
All clear given to return to building (if necessary)	V				
	VEC	NO	N/A	NOTES	
Evacuation Site Issues	YES	110		110100	
Evacuation Site Issues Enough space for everyone	TES	no			

TARGET #1: To completely evacuate a building in a safe, orderly, timely, and efficient manner where all students, staff, and guests are accounted for in a safe location. Target #2: To enable students to reunite with their families in a safe and orderly manner or to return to their

classrooms. Comments: I think the drill was very Successful. Students Cooperated well with staff and followed directions in an orderly fashion. At the end, one student did not want to leave but after a minute or so she decided to cooperate

Administrator or Staff Conducting Drill: Bernie Bowlers ! Ana Garza

Administrator or Staff Conducting Evaluation:

Koppler porg

Updated: May 2018